


STAAR CHEMISTRY REFERENCE MATERIALS



ATOMIC STRUCTURE

Speed of light = (frequency)(wavelength)

$$c = f\lambda$$

Energy = (Planck's constant)(frequency)

$$E_{\text{photon}} = hf$$

Energy = $\frac{(\text{Planck's constant})(\text{speed of light})}{(\text{wavelength})}$

$$E_{\text{photon}} = \frac{hc}{\lambda}$$

BEHAVIOR OF GASES

Total pressure of a gas = $\left(\begin{array}{l} \text{sum of the partial pressures} \\ \text{of the component gases} \end{array} \right) \quad P_T = P_1 + P_2 + P_3 + \dots$

(Pressure)(volume) = (moles)(ideal gas constant)(temperature)

$$PV = nRT$$

$\frac{(\text{Initial pressure})(\text{initial volume})}{(\text{Initial moles})(\text{initial temperature})} = \frac{(\text{final pressure})(\text{final volume})}{(\text{final moles})(\text{final temperature})}$ $\frac{P_1 V_1}{n_1 T_1} = \frac{P_2 V_2}{n_2 T_2}$

(Initial pressure)(initial volume) = (final pressure)(final volume) $PV_1 = PV_2$

$\frac{(\text{Initial volume})}{(\text{Initial temperature})} = \frac{(\text{final volume})}{(\text{final temperature})}$ $\frac{V_1}{T_1} = \frac{V_2}{T_2}$

$\frac{(\text{Initial volume})}{(\text{Initial moles})} = \frac{(\text{final volume})}{(\text{final moles})}$ $\frac{V_1}{n_1} = \frac{V_2}{n_2}$

SOLUTIONS

Molarity = $\frac{\text{moles of solute}}{\text{liter of solution}}$ $M = \frac{\text{mol}}{\text{L}}$

Ionization constant of water = $\left(\begin{array}{l} \text{hydrogen ion} \\ \text{concentration} \end{array} \right) \left(\begin{array}{l} \text{hydroxide ion} \\ \text{concentration} \end{array} \right)$ $K_w = [\text{H}^+][\text{OH}^-]$

$\left(\begin{array}{l} \text{Volume of} \\ \text{solution 1} \end{array} \right) \left(\begin{array}{l} \text{molarity of} \\ \text{solution 1} \end{array} \right) = \left(\begin{array}{l} \text{volume of} \\ \text{solution 2} \end{array} \right) \left(\begin{array}{l} \text{molarity of} \\ \text{solution 2} \end{array} \right)$ $V_1 M_1 = V_2 M_2$

pH = -logarithm (hydrogen ion concentration)

$$\text{pH} = -\log[\text{H}^+]$$

THERMOCHEMISTRY

Heat gained or lost = (mass) $\left(\begin{array}{l} \text{specific} \\ \text{heat} \end{array} \right) \left(\begin{array}{l} \text{change in} \\ \text{temperature} \end{array} \right)$ $Q = mc_p \Delta T$

Enthalpy of reaction = $\left(\begin{array}{l} \text{enthalpy} \\ \text{of products} \end{array} \right) - \left(\begin{array}{l} \text{enthalpy} \\ \text{of reactants} \end{array} \right)$ $\Delta H = \Delta H_f^\circ(\text{products}) - \Delta H_f^\circ(\text{reactants})$

STAAR CHEMISTRY REFERENCE MATERIALS



OTHER FORMULAS

Density = $\frac{\text{mass}}{\text{volume}}$

$$D = \frac{m}{V}$$

Percent error = $\left(\frac{\text{accepted value} - \text{experimental value}}{\text{accepted value}} \right) (100)$

Percent yield = $\left(\frac{\text{actual yield}}{\text{theoretical yield}} \right) (100)$

CONSTANTS AND CONVERSIONS

Avogadro's number = 6.02×10^{23} particles per mole

h = Planck's constant = 6.63×10^{-34} J · s

c = speed of light = $3.00 \times 10^8 \frac{\text{m}}{\text{s}}$

K_w = ionization constant of water = $1.00 \times 10^{-14} \left(\frac{\text{mol}}{\text{L}} \right)^2$

alpha particle (α) = ${}_2^4\text{He}$ beta particle (β) = ${}_{-1}^0\text{e}$ neutron = ${}_{0}^1\text{n}$

standard temperature and pressure (STP) = 0°C and 1 atm

0°C = 273 K

volume of ideal gas at STP = $22.4 \frac{\text{L}}{\text{mol}}$

1 cm³ = 1 mL = 1 cc

1 atm = 760 mm Hg = 101.3 kPa

R = ideal gas constant = $0.0821 \frac{\text{L} \cdot \text{atm}}{\text{mol} \cdot \text{K}} = 8.31 \frac{\text{L} \cdot \text{kPa}}{\text{mol} \cdot \text{K}} = 62.4 \frac{\text{L} \cdot \text{mm Hg}}{\text{mol} \cdot \text{K}}$


1 calorie (cal) = 4.18 joules (J)

1000 calories (cal) = 1 Calorie (Cal) = 1 kilocalorie (kcal)

RULES FOR SIGNIFICANT FIGURES


1. Non-zero digits and zeros between non-zero digits are always significant.
2. Leading zeros are not significant.
3. Zeros to the right of all non-zero digits are only significant if a decimal point is shown.
4. For values written in scientific notation, the digits in the coefficient are significant.
5. In a common logarithm, there are as many digits after the decimal point as there are significant figures in the original number.

STAAR CHEMISTRY REFERENCE MATERIALS



POLYATOMIC IONS		SOLUBILITY OF COMMON IONIC COMPOUNDS IN WATER		ACTIVITY SERIES
Acetate	$\text{C}_2\text{H}_3\text{O}_2^-$, CH_3COO^-	<u>Soluble compounds contain</u>	<u>Common exceptions</u>	<u>Metal</u>
Ammonium	NH_4^+	$\text{C}_2\text{H}_3\text{O}_2^-$, CH_3COO^-	None	Lithium
Carbonate	CO_3^{2-}	NH_4^+	None	Potassium
Chlorate	ClO_3^-	NO_3^-	None	Barium
Chlorite	ClO_2^-	CN^-	None	Calcium
Chromate	CrO_4^{2-}	ClO_2^-	None	Sodium
Cyanide	CN^-	ClO_3^-	None	Magnesium
Dichromate	$\text{Cr}_2\text{O}_7^{2-}$	ClO_4^-	Compounds of Ag^+ , Pb^{2+} , and Hg_2^{2+}	Aluminum
Hydrogen carbonate	HCO_3^-	Br^-	Compounds of Ag^+ , Pb^{2+} , and Hg_2^{2+}	Manganese
Hydroxide	OH^-	Cl^-	Compounds of Ag^+ , Pb^{2+} , and Hg_2^{2+}	Zinc
Hypochlorite	ClO^-	I^-	Compounds of Sr^{2+} , Ba^{2+} , Pb^{2+} , and Hg_2^{2+}	Chromium
Nitrate	NO_3^-	SO_4^{2-}		Iron
Nitrite	NO_2^-	<u>Insoluble compounds contain</u>	<u>Common exceptions</u>	Cobalt
Perchlorate	ClO_4^-	CO_3^{2-}	Compounds of NH_4^+ and the alkali metal cations	Nickel
Permanganate	MnO_4^-	PO_4^{3-}	Compounds of NH_4^+ and the alkali metal cations	Tin
Phosphate	PO_4^{3-}	CrO_4^{2-}	Compounds of NH_4^+ and the alkali metal cations	Lead
Sulfate	SO_4^{2-}	$\text{Cr}_2\text{O}_7^{2-}$	Compounds of NH_4^+ and the alkali metal cations	(Hydrogen)
Sulfite	SO_3^{2-}	OH^-	Compounds of NH_4^+ , the alkali metal cations, Ca^{2+} , Sr^{2+} , and Ba^{2+}	Copper
		S^{2-}	Compounds of NH_4^+ , the alkali metal cations, Ca^{2+} , Sr^{2+} , and Ba^{2+}	Mercury

Increasing Activity



STAAR CHEMISTRY REFERENCE MATERIALS



PERIODIC TABLE OF THE ELEMENTS

1 1A 1 H 1.008 Hydrogen	2 2A 2 Be 9.012 Beryllium	<table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td style="padding: 5px;">Atomic number 14</td></tr> <tr> <td style="padding: 5px;">Symbol Si</td></tr> <tr> <td style="padding: 5px;">Atomic mass 28.086</td></tr> <tr> <td style="padding: 5px;">Name Silicon</td></tr> </table>											Atomic number 14	Symbol Si	Atomic mass 28.086	Name Silicon
Atomic number 14																
Symbol Si																
Atomic mass 28.086																
Name Silicon																
3 2 Li 6.941 Lithium	4 Be 9.012 Beryllium	5 3B Sc 44.956 Scandium	6 4B Ti 47.867 Titanium	7 5B V 50.942 Vanadium	8 6B Cr 51.996 Chromium	9 7B Mn 54.938 Manganese	10 8B Fe 55.845 Iron	11 1B Co 58.933 Cobalt	12 2B Ni 58.693 Nickel	13 3A Cu 63.546 Copper	14 4A Zn 65.38 Zinc	15 5A Ga 69.723 Gallium	16 6A Ge 72.64 Germanium			
11 3 Na 22.990 Sodium	12 Mg 24.305 Magnesium	19 4 K 39.098 Potassium	20 Ca 40.078 Calcium	21 Sc 44.956 Scandium	22 Ti 47.867 Titanium	23 V 50.942 Vanadium	24 Cr 51.996 Chromium	25 Mn 54.938 Manganese	26 Fe 55.845 Iron	27 Co 58.933 Cobalt	28 Ni 58.693 Nickel	29 Cu 63.546 Copper	30 Zn 65.38 Zinc			
37 5 Rb 85.468 Rubidium	38 Sr 87.62 Strontium	39 Y 88.906 Yttrium	40 Zr 91.224 Zirconium	41 Nb 92.906 Niobium	42 Mo 95.96 Molybdenum	43 Tc (98) Technetium	44 Ru 101.07 Ruthenium	45 Rh 102.906 Rhodium	46 Pd 106.42 Palladium	47 Ag 107.868 Silver	48 Cd 112.412 Cadmium	49 In 114.818 Indium	50 Sn 118.711 Tin			
55 6 Cs 132.905 Cesium	56 Ba 137.328 Barium	71 Lu 174.967 Lutetium	72 Hf 178.49 Hafnium	73 Ta 180.948 Tantalum	74 W 183.84 Tungsten	75 Re 186.207 Rhenium	76 Os 190.23 Osmium	77 Ir 192.217 Iridium	78 Pt 195.085 Platinum	79 Au 196.967 Gold	80 Hg 200.59 Mercury	81 Tl 204.383 Thallium	82 Pb 207.2 Lead			
87 7 Fr (223) Francium	88 Ra (226) Radium	103 Lr (262) Lawrencium	104 Rf (267) Rutherfordium	105 Db (268) Dubnium	106 Sg (271) Seaborgium	107 Bh (272) Bohrium	108 Hs (270) Hassium	109 Mt (276) Meitnerium	110 Ds (281) Darmstadtium	111 Rg (280) Roentgenium	Mass numbers in parentheses are those of the most stable or most common isotope.					

Lanthanide Series

Actinide Series

57 La 138.905 Lanthanum	58 Ce 140.116 Cerium	59 Pr 140.908 Praseodymium	60 Nd 144.242 Neodymium	61 Pm (145) Promethium	62 Sm 150.36 Samarium	63 Eu 151.964 Europium	64 Gd 157.25 Gadolinium	65 Tb 158.925 Terbium	66 Dy 162.500 Dysprosium	67 Ho 164.930 Holmium	68 Er 167.259 Erbium	69 Tm 168.934 Thulium	70 Yb 173.055 Ytterbium
89 Ac (227) Actinium	90 Th 232.038 Thorium	91 Pa 231.036 Protactinium	92 U 238.029 Uranium	93 Np (237) Neptunium	94 Pu (244) Plutonium	95 Am (243) Americium	96 Cm (247) Curium	97 Bk (247) Berkelium	98 Cf (251) Californium	99 Es (252) Einsteinium	100 Fm (257) Fermium	101 Md (258) Mendelevium	102 No (259) Nobelium